

Taiwan CCTV Security Cameras Surveillance DVRs

Taiwan CCTV

[TCL-PS4AC VCP-01RF100](#)

TCL-PS8DC

[Ask a question about this product](#)

[Interested in this product? Contact us for wholesale pricing!!!](#) This



UL listed wall mount power supply is housed in a metal cabinet. It has eight (8) individually fused outputs and a status LED. The metal cabinet can be locked and has marked knockouts for customization. **12VDC Regulated Camera Power** This 8-channel DC power supply plugs into a standard North American 110/120VAC wall outlet. It is designed for permanent installation. Maximum power (current) draw is 4 amps, measured as a sum of all 8 channels. The user can fine-tune the voltage (range of 10-15VDC). **Models with Battery Backup for High Reliability** If your location experiences power failures or is prone to interruptions in the power grid, take a look at our battery backup model of this power supply. The power output profile is the same during normal operation, but we've added an internal battery and maintenance charging circuits so you can operate your equipment in the event of a power failure. **High Amp Supply TCL-PS8DCH** If your surveillance network draws a lot of current then consider model ECL-PS8DCH, a high current version of the ECL-PS8DC. The ECL-PS8DCH can supply up to 1 Amp on EACH channel. UL #E316342 8 channels 8 Regulated 12VDC outputs Each output individually fused LED indicator Requires 110/120VAC source Max. current: 4 amps, measured by summing the total current output on each channel Adjustment pot. on board for fine tuning voltage output. Dimensions: 247.65mm x 95.25mm x 206.38mm (9.75" x 3.75" x 8.125") For critical applications ask for ECL-PS8DCB, the same 12VDC power supply with a built-in battery backup system. Dimensions: 16" x 16" x 5" For high power situations consider the TCL-PS8DCH, a high current model capable of delivering 1A current (max.) per channel.

163

163